

**From:** Sklaney, Christopher [sklaney.christopher@epa.gov]  
**Sent:** 9/15/2021 2:23:30 PM  
**To:** Corbett, Chris [Corbett.Chris@epa.gov]  
**Subject:** RE: Keystone - Draft of Updated CSM

## Ex. 5 Deliberative Process (DP)

---

**From:** Corbett, Chris <Corbett.Chris@epa.gov>  
**Sent:** Tuesday, September 14, 2021 10:24 PM  
**To:** Sklaney, Christopher <sklaney.christopher@epa.gov>  
**Subject:** RE: Keystone - Draft of Updated CSM

### Ex. 5 Deliberative Process (DP)

**From:** Sklaney, Christopher <sklaney.christopher@epa.gov>  
**Sent:** Tuesday, September 14, 2021 9:33 PM  
**To:** Corbett, Chris <Corbett.Chris@epa.gov>  
**Subject:** RE: Keystone - Draft of Updated CSM

## Ex. 5 Deliberative Process (DP)

---

**From:** Corbett, Chris <Corbett.Chris@epa.gov>  
**Sent:** Tuesday, September 14, 2021 9:28 PM  
**To:** Sklaney, Christopher <sklaney.christopher@epa.gov>  
**Subject:** RE: Keystone - Draft of Updated CSM

I had a chance to look again.

### Ex. 5 Deliberative Process (DP)

## Ex. 5 Deliberative Process (DP)

---

**From:** Sklaney, Christopher <sklaney.christopher@epa.gov>  
**Sent:** Tuesday, August 24, 2021 2:27 PM

**To:** Snoparsky, Mindi <[Snoparsky.Mindi@epa.gov](mailto:Snoparsky.Mindi@epa.gov)>; Hubbard, Jennifer <[Hubbard.Jennifer@epa.gov](mailto:Hubbard.Jennifer@epa.gov)>

**Cc:** Corbett, Chris <[Corbett.Chris@epa.gov](mailto:Corbett.Chris@epa.gov)>

**Subject:** Keystone - Draft of Updated CSM

Mindi/Jennifer,

I am forwarding this document here. I've been sitting in the TSB SharePoint request form for over 25 minutes, wondering if it will ever process the request, and my computer is about accidentally get tossed out my window. Technology!!! Ugh!

I obviously require Mindi's input, but I'm asking for a review at your discretion, Jennifer. Once we have a chance to go over it, I'll send WM comments and then send a copy to the OGD.

Chris – Optional for you, too.

Remember to charge the FS code (03L9BD0303WTDD2). BF03 and BF04 are for Source Control and Groundwater LTRA, respectively. BD is the FS code.

Thanks - Chris

**Christopher Sklaney**  
Remedial Project Manager  
Superfund & Emergency Management Division  
U.S. Environmental Protection Agency Region 3  
1650 Arch Street (Mail Code 3SD21)  
Philadelphia, PA 19103  
215-814-3198 | office  
[sklaney.christopher@epa.gov](mailto:sklaney.christopher@epa.gov) | email